








LED BULB T75-SC

1 TAHUN GARANSI



SOCKET			COLOR TEMPERATURE	VOLTAGE	POWER	LED
H11 / H8 HB4 / HB3	H7 H4	H1	6000K	DC 9-60 V	Starting Power 2 x 75 W Stabil Power 2 x 60 W	H4-7070-CSP 12-Core 3570-CSP 6-Core Single-7070-CSP 12-Core
ILLUMINANCE		DRIVE	HEAT DISSIPATION		SIZE	
About 2 x 8.750 Lm (5 m)		External Driver	Turbo Fan & Double Cooper Pipe		34 mm x 34 mm x 79 mm	

1 TAHUN GARANSI




SOCKET			COLOR TEMPERATURE	VOLTAGE	POWER	LED
H11 / H8 HB4 / HB3	H7 H4	H1	6000K, 4300K, 3000K	DC 9-60 V	Starting Power 2 x 75 W Stabil Power 2 x 60 W	H4-7070-CSP 12-Core 3570-CSP 6-Core Single-7070-CSP 12-Core
ILLUMINANCE		DRIVE	HEAT DISSIPATION		SIZE	
About 2 x 8.400 Lm (5 m)		External Driver	Turbo Fan & Double Cooper Pipe		34 mm x 34 mm x 79 mm	



LED BULB T60-3C

1 TAHUN GARANSI




SOCKET			COLOR TEMPERATURE	VOLTAGE	POWER	LED
H11 / H8 HB4 / HB3	H7 H4	H1	6000K, 4300K, 3000K	DC 9-60 V	Starting Power 2 x 60 W Stabil Power 2 x 55 W	H4-2 x 3570-CSP 6-Core Single-3570-CSP 6-Core
ILLUMINANCE		DRIVE	HEAT DISSIPATION		SIZE	
About 2 x 6.250 Lm (5 m)		External Driver	Turbo Fan & Double Cooper Pipe		34 mm x 34 mm x 79 mm	



LED BULB LENS MB50

1 TAHUN GARANSI




SOCKET	COLOR TEMPERATURE	VOLTAGE	POWER	LED
H4	6000K	DC 9-60 V	Low Beam 35 W High Beam 50 W	3570-CSP 6-Core 3570-CSP 3-Core
ILLUMINANCE		DRIVE	HEAT DISSIPATION	SIZE
About 5.500 Lm (5 m)		Internal Driver	Turbo Fan	35 mm x 35 mm x 114 mm



LED BULB LENS MB55



1 TAHUN GARANSI



SOCKET	COLOR TEMPERATURE	VOLTAGE	POWER	LED
H4	6000K	DC 9-60 V	Low Beam 40 W High Beam 55 W	3570-CSP 6-Core 3570-CSP 3-Core
ILLUMINANCE	DRIVE	HEAT DISSIPATION	SIZE	
About 5.700 Lm (5 m)	Internal Driver	Turbo Fan	35 mm x 35 mm x 114 mm	